

SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2022

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PROPERTY AT: 800 W 5th St #1206, Austin, Texas 78703

OF THE DATE SIGNED BY	SE O C	ELL)B1	ER AIN	Αl	ND	IS	NOT A SUBSTITUTI	ΕF	OF	A S	ONDITION OF THE PROPE NY INSPECTIONS OR WARF IND BY SELLER, SELLER'S	RAN		
Seller ⊠ is □ is not occu Property? □				pr	ope	ert	y. If unoccupied (by S	ell	er)	, ho	w long since Seller has occuր _ (approximate date) or ロ n			е
occupied the Property Section 1. The Property ha	as 1	the	ite	ms	s ma	ar	ked below: (Mark Ye	s (Ύ),	No	(N), or Unknown (U).)			
This Notice does not establish	the	ite	ms t	to k	e c	or	veyed. The contract will	l de	eter	mine	e which items will & will not conv	ey.		
Item	Υ	N	U	It	tem	1		Υ	N	U	Item	Υ	N	U
Cable TV Wiring	Х			N	latu	ıra	al Gas Lines	Χ			Pump: ☐ sump ☐ grinder			Х
Carbon Monoxide Det.		X		F	uel	G	Sas Piping:	Χ			Rain Gutters			Х
Ceiling Fans		X		-	Bla	ıcl	(Iron Pipe			X	Range/Stove	Х		
Cooktop		X		-	Co	pp	er			X	Roof/Attic Vents			Х
Dishwasher	х			- 1	- Corrugated Stainless Steel Tubing					Х	Sauna		Х	
Disposal	X			F	Hot Tub			Х			Smoke Detector	Х		
Emergency Escape Ladder(s)		х		lı	Intercom System			Х		Smoke Detector Hearing Impaired		Х		
Exhaust Fan		Х		٨	Microwave		Χ			Spa		Х		
Fences		X		C	Outdoor Grill		Х			Trash Compactor		Х		
Fire Detection Equipment	X			F	Patio/Decking		Х			TV Antenna		Х		
French Drain			Х	F	lun	nb	ing System	Х			Washer/Dryer Hookup	Х		
Gas Fixtures	Х			F	Pool			Х			Window Screens		Х	
Liquid Propane Gas		Х		F	ool	E	quipment	Χ			Public Sewer System	Х		
- LP Community (Captive)		Х		F	Pool Maint. Accessories		Х							
- LP on Property		Х		F	ool	H	leater	Χ						
Item			1	Υ	NI	J	Additional Informat	ion	1					
Central A/C			7	X			⊠ electric □ gas nu	mb	er	of u	nits: 2			
Evaporative Coolers			7	X			number of units: don'	't kı	nov	٧				
Wall/Window AC Units					X		number of units:							
Attic Fan(s)					X		if yes, describe:							
Central Heat		7	X			⊠ electric □ gas nu	mb	er	of u	nits: 2, one on each floor of t	ne ı	unit	í .	
Other Heat					X		if yes, describe:							
Oven			7	X	\top		number of ovens: 1		ele	ctri	c ⊠ gas □ other		_	
Fireplace & Chimney					X		□wood □ gas log	□n	100	k l	□ other			
Carport					X		☐ attached ☐ not at	tac	che	d_				

Initialed by: Buyer: _ and Seller: HM, JP

 \boxtimes attached \square not attached

number of units: 1 number of remotes: 2



Garage Door Openers

Garage

Satellite Dish & Controls)	(□ owned □ leased from:
Security System)	(□ owned □ leased from:
Solar Panels	((□ owned □ leased from:
Water Heater		X	□ electric □ gas □ other number of units:
Water Softener)	(□ owned □ leased from:
Other Leased Item(s))	(if yes, describe:
Underground Lawn Sprinkler)	(□ automatic □ manual areas covered:
Septic / On-Site Sewer Facility)	(if Yes, attach Information About On-Site Sewer Facility.(TXR-1407)
Was the Property built before 1978?	□ y	es	MUD □ co-op □ unknown □ other: ☑ no □ unknown 6 concerning lead-based paint hazards).
Roof Type: modified bitumen Is there an overlay roof covering on t covering)? □ yes 図 no □ unknowr		⊃rop	Age: about 21 years (approximate) perty (shingles or roof covering placed over existing shingles or roof
Are you (Seller) aware of any of the i defects, or are in need of repair? \Box y			sted in this Section 1 that are not in working condition, that have no If yes, describe:
Section 2. Are you (Seller) aware o		-	lefects or malfunctions in any of the following?: (Mark Yes (Y) if

Item	Υ	Z
Basement		Χ
Ceilings		Χ
Doors		Х
Driveways		Х
Electrical Systems		Х
Exterior Walls	X	

Item	Υ	N
Floors		Х
Foundation / Slab(s)		Х
Interior Walls	Х	
Lighting Fixtures		Х
Plumbing Systems		X
Roof		Х

Item	Υ	N
Sidewalks		X
Walls / Fences		Х
Windows	Х	
Other Structural Components		Χ

If the answer to any of the items in Section 2 is Yes, explain (attach additional sheets if necessary):

Interior Walls – very minor cracking of gypsum wallboard at corner of a window and along the side of a window. on south wall of unit, there is a little swelling of baseboard resulting from some water penetration at the balcony door (due to failure of the weatherstrippings) The weather stripping has been replaced and we have experienced no further water penetration there. On the interior of the north wall, there is a very small swelling of the baseboard in one spot.

Windows – No problems with windows but we do have a large electrically controlled shade that the south window. Over the years, the support bracket has slightly deformed from the weight of the fabric and, in the fully retracted position, one side wrinkles and is not quite level.

Exterior Walls – north wall of building has had water penetration issues. In twenty years of living here, we have had only one small spot of water damage on a baseboard on that side

Section 3. Are you (Seller) aware of any of the following conditions? (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Condition	Υ	N
Aluminum Wiring		X
Asbestos Components		X

Condition	Υ	N
Radon Gas		Х
Settling		Χ

Initialed by: Buyer: __ and Seller: HM, JP Prepared with Sellers Shield

Diseased Trees: ☐ Oak Wilt ☐		X	Soil Movement	
Endangered Species/Habitat on Property		X	Subsurface Structure or Pits	
Fault Lines		X	Underground Storage Tanks	
Hazardous or Toxic Waste		X	Unplatted Easements]]
Improper Drainage		X	Unrecorded Easements	
Intermittent or Weather Springs		X	Urea-formaldehyde Insulation]]
Landfill	-	X	Water Damage Not Due to a Flood Event	
Lead-Based Paint or Lead-Based Pt. Hazards		X	Wetlands on Property	
Encroachments onto the Property		X	Wood Rot	1 2
Improvements encroaching on others' property		X	Active infestation of termites or other wood	;
Located in Historic District		X	destroying insects (WDI)	
Historic Property Designation		X	Previous treatment for termites or WDI	
Previous Foundation Repairs		X	Previous termite or WDI damage repaired	1 2
Previous Roof Repairs		X	Previous Fires	1 2
Previous Other Structural Repairs		X	Termite or WDI damage needing repair	
Previous Use of Premises for Manufacture of		x	Single Blockable Main Drain in Pool/Hot	
Methamphetamine			Tub/Spa*	
*A single blockable main drain may cause a suction enti	rapm	nent ha	azard for an individual.	
*A single blockable main drain may cause a suction entring. Section 4. Are you (Seller) aware of any item, or repair, which has not been previously discladditional sheets if necessary): As mentioned, the north wall of the building has have some of which are ongoing. A repair of the exterior	equ ose	ipme ed in wate	ent, or system in or on the Property that is in rethis notice? yes no If yes, explain er penetration issues. It has undergone some repart	(atta
Section 4. Are you (Seller) aware of any item, or repair, which has not been previously discluditional sheets if necessary): As mentioned, the north wall of the building has head to be a section of th	equ lose had ior o	ipmeed in wate	ent, or system in or on the Property that is in rethis notice? yes no If yes, explain er penetration issues. It has undergone some reparent wall is being planned. ng conditions?* (Mark Yes (Y) if you are aware	attad
Section 4. Are you (Seller) aware of any item, or repair, which has not been previously discladditional sheets if necessary): As mentioned, the north wall of the building has have some of which are ongoing. A repair of the exterior section 5. Are you (Seller) aware of any of the check wholly or partly as applicable. Mark No Y N	had foll (N)	wate of the owin	ent, or system in or on the Property that is in rethis notice? yes no If yes, explain er penetration issues. It has undergone some reparent north wall is being planned. ng conditions?* (Mark Yes (Y) if you are aware u are not aware.)	airs,
Section 4. Are you (Seller) aware of any item, or repair, which has not been previously discladditional sheets if necessary): As mentioned, the north wall of the building has have some of which are ongoing. A repair of the exterior section 5. Are you (Seller) aware of any of the check wholly or partly as applicable. Mark No and the check wholly or partly as applicable. Mark No and the check wholly or partly as applicable. Mark No and the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable. We have the check wholly or partly as applicable.	had foll (N)	wate of the owin	ent, or system in or on the Property that is in rethis notice? yes no If yes, explain er penetration issues. It has undergone some reparent north wall is being planned. ng conditions?* (Mark Yes (Y) if you are aware u are not aware.)	airs,
Section 4. Are you (Seller) aware of any item, or repair, which has not been previously discladditional sheets if necessary): As mentioned, the north wall of the building has have some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior section 5. Are you (Seller) aware of any of the check wholly or partly as applicable. Mark No to the check wholly or partly as applicable. Mark No to the check wholly or partly as applicable. The present flood insurance coverage. Description:	had ior conformation follows for a factor of a factor	wate of the owin if yo	ent, or system in or on the Property that is in rethis notice? yes no If yes, explain er penetration issues. It has undergone some reparent north wall is being planned. g conditions?* (Mark Yes (Y) if you are aware u are not aware.)	airs,
Section 4. Are you (Seller) aware of any item, or repair, which has not been previously discladditional sheets if necessary): As mentioned, the north wall of the building has have some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing applicable. Mark No exterior some of which are ongoing applicable. Mark No exterior some of which are ongoing applicable. Wark No exterior some of which are ongoing applicable and the exterior some of which are ongoing applicable. Wark No exterior some of which are ongoing applicable and the exterior some of which are ongoing applicable and the exterior some of which are ongoing and the exterior some of which are ongoing a	had foll (N)	wate of the owin if yo	ent, or system in or on the Property that is in rethis notice? yes one of yes, explain the property that is in rethis notice? yes one of yes, explain the property that is in rethis notice? yes one of yes, explain the property of yes, explain the property of yes. yes one of yes, explain the property of yes, explain the property of yes. yes one of yes, explain the property of yes, explain the property of yes. yes one of yes, explain the property of yes, explain the property of yes. yes one of yes, explain the property of yes, explain the property of yes. yes of yes, explain the property of yes, explain the property of yes. yes of yes, explain the property of yes, explain the property of yes. yes of yes, explain the property of yes, explain the property of yes. yes of yes, explain the property of yes, explain the property of yes, explain the property of yes. yes of yes, explain the property of yes, explain the yes, expla	airs,
Section 4. Are you (Seller) aware of any item, or repair, which has not been previously discladditional sheets if necessary): As mentioned, the north wall of the building has have some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of any of the check wholly or partly as applicable. Mark No extends a previous flooding due to a failure or breach or a reservoir. □ ☑ Previous flooding due to a natural flood ever □ ☑ Previous water penetration into a structure or ☑ Located ☑ wholly □ partly in a 100-year floor.	had ior control follows follows for ant.	wate of the owin if your reservation (S	ent, or system in or on the Property that is in rethis notice? yes no If yes, explain er penetration issues. It has undergone some reparent north wall is being planned. g conditions?* (Mark Yes (Y) if you are aware use not aware.) ervoir or a controlled or emergency release of water operty due to a natural flood event. Special Flood Hazard Area-Zone A, V, A99, AE, A	airs,
Section 4. Are you (Seller) aware of any item, or repair, which has not been previously discladditional sheets if necessary): As mentioned, the north wall of the building has have some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of any of the check wholly or partly as applicable. Mark No extends a previous flood insurance coverage. □ ☑ Previous flooding due to a failure or breach or a reservoir. □ ☑ Previous flooding due to a natural flood ever □ ☑ Previous water penetration into a structure or I in the partly in a 100-year flood AH, VE, or AR).	had ior control follows follows for ant.	wate of the owin if your reservation (S	ent, or system in or on the Property that is in rethis notice? yes no If yes, explain er penetration issues. It has undergone some reparent north wall is being planned. g conditions?* (Mark Yes (Y) if you are aware use not aware.) ervoir or a controlled or emergency release of water operty due to a natural flood event. Special Flood Hazard Area-Zone A, V, A99, AE, A	airs,
Section 4. Are you (Seller) aware of any item, or repair, which has not been previously discladditional sheets if necessary): As mentioned, the north wall of the building has have some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing. A repair of the exterior some of which are ongoing and applicable. Mark No or Y N ▼ N ▼ Previous flood insurance coverage. □ Previous flooding due to a failure or breach or a reservoir. □ Previous flooding due to a natural flood ever □ Previous water penetration into a structure or Previous water penetration into a structure or AH, VE, or AR). □ Located □ wholly □ partly in a 100-year flood AH, VE, or AR).	had ior control follows follows for ant.	wate of the owin if your reservation (S	ent, or system in or on the Property that is in rethis notice? yes no If yes, explain er penetration issues. It has undergone some reparent north wall is being planned. g conditions?* (Mark Yes (Y) if you are aware use not aware.) ervoir or a controlled or emergency release of water operty due to a natural flood event. Special Flood Hazard Area-Zone A, V, A99, AE, A	airs,

Initialed by: Buyer: ____, ___ and Seller: HM, JP Prepared with Sellers Shield

If the answer to any of the above is yes, explain (attach additional sheets if necessary):

Present flood insurance coverage – the building has flood insurance which is paid for by the HOA Located wholly or partly in a 100-year floodplain (Special Flood Hazard Area–Zone A, V, A99, AE, AO, AH, VE, or AR) – The insurance covers flood zone AE, Grandfathered. I do not know about a floodway

*If Buyer is concerned about these matters, Buyer may consult Information About Flood Hazards (TXR 1414).

*For purposes of this notice:

"100-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, which is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.

"500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chance of flooding, which is considered to be a moderate risk of flooding.

"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.

"Flood insurance rate map" means the most recent flood hazard map published by the Federal Emergency Management Agency under the National Flood Insurance Act of 1968 (42 U.S.C. Section 4001 et seq.).

"Floodway" means an area that is identified on the flood insurance rate map as a regulatory floodway, which includes the channel of a river or other watercourse and the adjacent land areas that must be reserved for the discharge of a base flood, also referred to as a 100-year flood, without cumulatively increasing the water surface elevation more than a designated height.

"Reservoir" means a water impoundment project operated by the United States Army Corps of Engineers that is intended to retain water or delay the runoff of water in a designated surface area of land.

Section 6. Have you (Seller) ever filed a claim for flood damage to the P provider, including the National Flood Insurance Program (NFIP)?* □ye additional sheets as necessary):	
*Homes in high risk flood zones with mortgages from federally regulated or insured lende Even when not required, the Federal Emergency Management Agency (FEMA) encourage risk, and low risk flood zones to purchase flood insurance that covers the structure(s structure(s).	ges homeowners in high risk, moderate
Section 7. Have you (Seller) ever received assistance from FEMA or the Administration (SBA) for flood damage to the Property? \Box yes \boxtimes no If sheets as necessary):	
Section 8. Are you (Seller) aware of any of the following? (Mark Yes (Y) i you are not aware.)	f you are aware. Mark No (N) if
YN □ ⊠ Room additions, structural modifications, or other alterations or repairs repermits, with unresolved permits, or not in compliance with building code	•

Prepared with Sellers Shield

Initialed by: Buyer: ____, ___ and Seller: HM, JP

☑ Homestead
 ☑ Wildlife Management
 ☑ Agricultural
 ☑ Disabled Veteran

 \Box Other: \Box Unknown

Section 11. Have you (Seller) ever filed a claim for damage, other than flood damage, to the Property

Initialed by: Buyer: ____, ___ and Seller: <u>HM</u>, <u>JP</u>
Page 5 of 7



Concerning the Property at 800 W 5th St #1206, Austin, Texas 78703

with any insurance provider?
□ yes ⊠ no
Section 12. Have you (Seller) ever received proceeds for a claim for damage to the Property (for example, an insurance claim or a settlement or award in a legal proceeding) and not used the proceeds to make the repairs for which the claim was made? \square yes \boxtimes no
If yes, explain:
Section 13. Does the Property have working smoke detectors installed in accordance with the smoke
detector requirements of Chapter 766 of the Health and Safety Code?* ☐ yes ☐ no ☒ unknown If no or unknown, explain (Attach additional sheets if necessary):
we have smoke detectors and they are periodically tested.

*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.

A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.

Initialed by: Buyer: ____, ___ and Seller: <u>HM</u>, <u>JP</u>

Page 6 of 7



Seller acknowledges that the statements in this notice are true to the best of Seller's belief and that no person,	including the
broker(s), has instructed or influenced Seller to provide inaccurate information or to omit any material information.	

Heather Harvey McKinney	04/18/2024	John Henry Pomeroy, II	04/17/2024
Signature of Seller	Date	Signature of Seller	Date
Printed Name: Heather McKinney		Printed Name: John Pomeroy	

ADDITIONAL NOTICES TO BUYER:

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit <u>www.txdps.state.tx.us</u>. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the Property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the Property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If the Property is located in a seacoast territory of this state designated as a catastrophe area by the Commissioner of the Texas Department of Insurance, the Property may be subject to additional requirements to obtain or continue windstorm and hail insurance. A certificate of compliance may be required for repairs or improvements to the Property. For more information, please review Information Regarding Windstorm and Hail Insurance for Certain Properties (TAR 2518) and contact the Texas Department of Insurance or the Texas Windstorm Insurance Association.
- (4) This Property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the county and any municipality in which the military installation is located.
- (5) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.
- (6) The following providers currently provide service to the Property:

Electric:	don't know	Phone #
Sewer:	don't know	Phone #
Water:	don't know	Phone #
Cable:	don't know	Phone #
Trash:	don't know	Phone #
Natural Gas:	don't know	Phone #
Phone Company:	AT&T	Phone #
Propane:	don't know	Phone #
Internet:	At&T	Phone #

(7) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

Signature of Buyer	Date	Signature of Buyer	Date
Printed Name:		Printed Name:	

Initialed by: Buyer: ____, ___ and Seller: $\underline{\mathsf{HM}}, \underline{\mathsf{JP}}$

